



OFFICE PARTITION

A photograph of an office interior with several desks and chairs. The desks are light-colored, and the chairs are black. The background is slightly blurred, showing more of the office space.

 1300BRIS01

 SUSTAINABLE
SOLUTIONS
✓ ISO 9001

www.brisaluminium.com.au



	Page #
Supreme Partition Suites <i>Lengths, Door Kits, Glazing Kits, Cavity Sliding Kits</i>	1 - 22
Sound Rating Guide & Seals	23 - 25
Econo Partition Suites - 64x10, 76x10, Accessories <i>Lengths, Door Kits, Glazing Kits</i>	26 - 36
Aluminium Skirtings - 50, 100, 125, 152mm, Accessories <i>Ducted Skirting & Accessories</i>	37 - 41
Technical Drawings - Supreme / Econo	42 - 51
Supreme Adjustable Suites - 70mm - 218mm Walls <i>Lengths, Door Kits, Glazing Kits, Formulas</i>	52 - 68
Technical Drawings - Supreme Adjustable Suites	69 - 74
Slimline & Supreme Setting Suite - 45mm Glazing <i>Lengths, Door Kits, Cavity Sliding Kits</i>	75 - 79
Technical Drawings - Slimline & Supreme Setting Suite	80 - 85



Scan the QR Code
to View this Catalogue Online

CONTENTS

	Page #
Top Hung Sliding Track System <i>Lengths, Door Kits, Instruction</i>	86 - 90
100x44mm Shopfront Suite <i>Lengths, Door Kits, Glazing Kits</i>	91 - 95
Technical Drawings - 100x44mm Shopfront Suite	96 - 99
Supreme Aluminium Doors - 35mm, 45mm Narrow & Wide <i>Lengths, Doors, Flat Pack Kits, Instruction, Ordering Form</i>	100 - 112
Door Hardware & Return Air Grilles <i>Locksets, Pull Handles, Accessories</i>	113 - 115
Controllaview Vision Panels <i>Single Glazed, Venetians, Block-Out Blinds</i>	116
Geometrics - Angles, Flat Bars, Channels, Hollows	117 - 118
Glazing Wedge Reference Guide	119
Order Form	120



Scan the QR Code
to View the Price Book Online

CONTENTS



Established in 1999, Bris Aluminium hit the ground running with our uniquely designed Aluminium Partition Systems delighting a range of Architects, Builders & Project Managers.

Providing a sleek & stylish finished product that is also simple to install. Reducing time, labour & costs on-site.

Pride In Quality & Innovation

Bris Aluminium's reputation is built on providing a high quality product with high quality service to back it up, as seen in our own Certification in ISO 9001 Standards.

Every product is diverse enough to be able to bring your creations to life & we never stop looking at ways to modify existing products or developing new products to further both the diversity & the aesthetic styling of your projects.

Through constantly innovating & retaining quality, we are constantly pushing the boundaries enabling our clients with options that not only compliment & enhance their designs, but create an air of individuality to any space.

The 'ABOUT US' section features a dark, semi-transparent background image of two people in an office setting. A bright green triangle is positioned on the left side, and a thin green line with small circular endpoints connects it to the text. The text 'ABOUT US' is written in a large, bold, white, sans-serif font.

ABOUT US










64mm, 76mm, 92mm

SUPREME SUITES

for 13mm linings

Supreme 64mm Partition Suite








64mm Steel Stud with 13mm Plasterboard

Profile	Description	Lengths
	DPS-64/01 Supreme Track PP: 132 AP: 502	2150 2750 3750
	DPS-64/02 Supreme Mating Track PP: 135 AP: 445	2750 3750
	DPS-64/04 Supreme Shadowline Track PP: 176 AP: 444	2750 3750
	DPS-64/05 Standard Supreme Track PP: 156 AP: 433	2750 3750
	DPS-64/10 Supreme Sill PP: 101 AP: 449	2750 3750
	DPS-15 Supreme Bead PP: 101 AP: 130	2750 3750
	DPS-20 Supreme Doorstop 35mm Door (<i>narrow side</i>) PP: 101 AP: 118	2150 2750 3750

*Items available in Anodised Finish, Mill Finish or Powder Coated
Also now stocked in Black Powder Coat*

Supreme 64mm Partition Suite








64mm Steel Stud with 13mm Plasterboard

Profile	Description	Lengths
	DPS-40 Supreme Doorstop 40mm Door (<i>narrow side</i>) PP: 101 AP: 120	2150 2750 3750
	DPS-76/20 Supreme Door Stop 45mm Door (<i>wide side</i>) PP: 101 AP: 131	2150 2750 3750
	DPS-25 Supreme Flush Filler PP: 101 AP: 101	3000
	BAP-011 Supreme Flush Plate PP: 105 AP: 238	2750 3750
	BAP-012 Supreme Glazing Adaptor PP: 101 AP: 323	2750 3750
	DPS-06 13 - 6mm Board Adaptor PP: 101 AP: 101	2750 3750
	DPS-07 13 - 10mm Board Adaptor PP: 101 AP: 101	2750 3750

Items available in Anodised Finish, Mill Finish or Powder Coated

Supreme 64mm Partition Suite

64mm Steel Stud with 13mm Plasterboard



Profile	Description	Lengths
	SCS-64/17 Supreme Cavity Capping PP: 178 AP: 267	2150 2750
	SCS-64/19 Supreme Cavity Receiver PP: 322 AP: 482	2150 2750
	SCS-64/34 Supreme Cavity Channel PP: 136 AP: 297	3250
	SCS-64/38 Cavity Slider Head PP: 160 AP: 659	3750
	SCT-32 Cavity Sliding Track PP: 101 AP: 285	2200 4400
	SCP-28 Cavity Slider Pelmet PP: 101 AP: 101	3750
	SCP-29 Cavity Slider Pelmet Base PP: 101 AP: 101	3750

Items available in Anodised Finish, Mill Finish or Powder Coated

Supreme 64mm Partition Suite

64mm Steel Stud with 13mm Plasterboard

Cavity Sliding Door Frame Kits

Profile	Description	Sizes
	SCSK-64/100 Supreme Cavity Sliding Door Frame Kit	2150 x 620 - 1000
	SCSK-64/105 Supreme Cavity Sliding Door Frame Kit	2750 x 620 - 1000
	SCSK-64/200 Supreme Cavity Sliding Oversized Door Frame Kit	2150 x 1000 - 1200
	SCSK-64/205 Supreme Cavity Sliding Oversized Door Frame Kit	2750 x 1000 - 1200
To Suit 35mm to 40mm Doors Add DPS-07 Board Adaptors to Suit 10mm Plasterboard	SCSK-64/300 Frameless Glass Cavity Sliding Door Frame Kit	2150 x 620 - 1000
	SCSK-64/305 Frameless Glass Cavity Sliding Door Frame Kit	2750 x 620 - 1000
SCR-005 Eku Porta 60/100 Soft-Closer 	SCSDK-64/110 Supreme Cavity Sliding Double Door Frame Kit	2150 x 1000 - 1800
	SCSDK-64/115 Supreme Cavity Sliding Double Door Frame Kit	2750 x 1000 - 1800



Scan the QR Code to
View the Assembly
Video Online








or at www.brisaluminium.com/cavity-door-slider/

Cavity Sliding Door Frame Kits come with all Components Included
Items available in Anodised Finish or Powder Coated

Supreme 64mm Partition Suite

Door Frame Kits

64mm Steel Stud with 13mm Plasterboard

Profile	Description	Sizes
 DPS-20 Doorstop Narrow Side of Frame	DFK-64/100 Door Frame Kit	2150 x 627 - 1007
 DPS-40 Doorstop Narrow Side of Frame	DFK-64/105 Door Frame Kit	2750 x 627 - 1007
 DPS-40 Doorstop Narrow Side of Frame	DFK-64/130 Door Frame Kit With Mating Head	2750 x 627 - 1007
 DPS-76/20 Doorstop Wide Side of Frame	DDFK-64/110 Double Door Frame Kit	2150 x 1007 - 1849
 DPS-76/20 Doorstop Wide Side of Frame	DDFK-64/115 Double Door Frame Kit	2750 x 1007 - 1849
 DPS-76/20 Doorstop Wide Side of Frame	DDFK-64/135 Double Door Frame Kit With Mating Head	2750 x 1007 - 1849
 with Mating Head	SFLDK-64/160 Fan-Lite Door Frame Kit	2750 x 627 - 1007
	SFDDK-64/165 Double Fan-Lite Door Kit	2750 x 1007 - 1849

Stocked Door Frame Kits

Stock Sizes

DFK-64/100SA	2150 x 927 x 35
DFK-64/105SA	2750 x 927 x 35
DFK-64/130SA (mating head)	2750 x 927 x 35

Door Frame Kits come with Instructions, Hinges & Screws Included


Items available in Anodised Finish, Mill Finish or Powder Coated

Materials now stocked in Black Powder Coat

Supreme 64mm Partition Suite

Glazing Frame Kits

64mm Steel Stud with 13mm Plasterboard

Profile	Heights	Widths
	900 x	900
		1200
		1800
		2700
		3600
Supreme Glazing Frame Kits & Mating Stile Side-Lights	1200 x	900
		1200
		1800
		2700
		3600
	1800 x	900
		1200
		1800
		2700
		3600
	2150 x	900
		1200
		1800
		2700
		3600
	2750 x	900
		1200
		1800
		2700
		3600
	3600 x	900
		1200
		1800
		2700
		3600








Glazing Frame Kits come with Instructions & Screws Included

Items available in Anodised Finish, Mill Finish or Powder Coated

Materials now stocked in Black Powder Coat

Supreme 76mm Partition Suite







76mm Steel Stud with 13mm Plasterboard

Profile	Description	Lengths
	DPS-76/01 Supreme Track PP: 147 AP: 547	2150 2750 3750
	DPS-76/02 Supreme Mating Track PP: 147 AP: 465	2750 3750
	DPS-76/04 Supreme Shadowline Track PP: 187 AP: 466	2750 3750
	DPS-76/05 Standard Supreme Track PP: 166 AP: 457	2750 3750
	DPS-76/10 Supreme Sill PP: 101 AP: 473	2750 3750
	DPS-76/15 Supreme Bead PP: 101 AP: 162	2750 3750
	DPS-76/20 Supreme Doorstop 35mm Door (<i>narrow side</i>) PP: 101 AP: 131	2150 2750 3750

*Items available in Anodised Finish, Mill Finish or Powder Coated
Also now stocked in Black Powder Coat*

Supreme 76mm Partition Suite







76mm Steel Stud with 13mm Plasterboard

Profile	Description	Lengths
	DPS-76/20	2150
	Supreme Doorstop	2750
	40mm Door (<i>wide side</i>)	3750
	PP: 101 AP: 131	
	DPS-92/40	2150
	Supreme Door Stop	2750
	45mm Door (<i>wide side</i>)	3750
	PP: 101 AP: 121	
	DPS-25	3000
	Supreme Flush Filler	
	PP: 101 AP: 101	
	BAP-015	2750
	Supreme Flush Plate	3750
	PP: 116 AP: 2.67	
	DPS-06	2750
	13 - 6mm Board Adaptor	3750
	PP: 101 AP: 101	
	DPS-07	2750
	13 - 10mm Board Adaptor	3750
	PP: 101 AP: 101	

Items available in Anodised Finish, Mill Finish or Powder Coated

Supreme 76mm Partition Suite

76mm Steel Stud with 13mm Plasterboard



Profile	Description	Lengths
	SCS-76/17 Supreme Cavity Capping PP: 194 AP: 291	2150 2750
	SCS-76/19 Supreme Cavity Receiver PP: 338 AP: 506	2150 2750
	SCS-76/34 Supreme Cavity Channel PP: 148 AP: 345	3250
	SCS-76/38 Cavity Slider Head PP: 170 AP: 683	3750
	SCT-32 Cavity Sliding Track PP: 101 AP: 285	2200 4400
	SCP-28 Cavity Slider Pelmet PP: 101 AP: 101	3750
	SCP-29 Cavity Slider Pelmet Base PP: 101 AP: 101	3750

Items available in Anodised Finish, Mill Finish or Powder Coated

Supreme 76mm Partition Suite

76mm Steel Stud with 13mm Plasterboard

Cavity Sliding Door Frame Kits






Profile	Description	Sizes
	SCSK-76/100 Supreme Cavity Sliding Door Frame Kit	2150 x 620 - 1000
	SCSK-76/105 Supreme Cavity Sliding Door Frame Kit	2750 x 620 - 1000
	SCSK-76/200 Supreme Cavity Sliding Oversized Door Frame Kit	2150 x 1000 - 1200
	SCSK-76/205 Supreme Cavity Sliding Oversized Door Frame Kit	2750 x 1000 - 1200
To Suit 35mm to 40mm Doors Add DPS-07 Board Adaptors to Suit 10mm Plasterboard SCR-005 Eku Porta 60/100 Soft-Closer 	SCSK-76/300 Frameless Glass Cavity Sliding Door Frame Kit	2150 x 620 - 1000
	SCSK-76/305 Frameless Glass Cavity Sliding Door Frame Kit	2750 x 620 - 1000
 Scan the QR Code to View the Assembly Video Online or at www.brisaluminium.com/cavity-door-slider/	SCSDK-76/110 Supreme Cavity Sliding Double Door Frame Kit	2150 x 1000 - 1800
	SCSDK-76/115 Supreme Cavity Sliding Double Door Frame Kit	2750 x 1000 - 1800

Cavity Sliding Door Frame Kits come with all Components Included
Items available in Anodised Finish or Powder Coated

Supreme 76mm Partition Suite

Door Frame Kits

76mm Steel Stud with 13mm Plasterboard

Profile	Description	Sizes
	DFK-76/100 Door Frame Kit	2150 x 627 - 1007
	DFK-76/105 Door Frame Kit	2750 x 627 - 1007
	DFK-76/130 Door Frame Kit With Mating Head	2750 x 627 - 1007
	DDFK-76/110 Double Door Frame Kit	2150 x 1007 - 1849
	DDFK-76/115 Double Door Frame Kit	2750 x 1007 - 1849
	DDFK-76/135 Double Door Frame Kit With Mating Head	2750 x 1007 - 1849
	SFLDK-76/160 Fan-Lite Door Frame Kit	2750 x 627 - 1007
	SFDDK-76/165 Double Fan-Lite Door Kit	2750 x 1007 - 1849

Stocked Door Frame Kits

Stock Sizes

DFK-76/100SA	2150 x 927
DFK-76/105SA	2750 x 927
DFK-76/130SA (mating head)	2750 x 927

Door Frame Kits come with Instructions, Hinges & Screws Included


Items available in Anodised Finish, Mill Finish or Powder Coated

Materials now stocked in Black Powder Coat

Supreme 76mm Partition Suite

Glazing Frame Kits








76mm Steel Stud with 13mm Plasterboard

Profile	Heights	Widths
	900 x	900
		1200
		1800
		2700
		3600
Supreme Glazing Frame Kits & Mating Stile Side-Lights	1200 x	900
		1200
		1800
		2700
		3600
	1800 x	900
		1200
		1800
		2700
		3600
	2150 x	900
		1200
		1800
		2700
		3600
	2750 x	900
		1200
		1800
		2700
		3600
	3600 x	900
		1200
		1800
		2700
		3600

Glazing Frame Kits come with Instructions & Screws Included
Items available in Anodised Finish, Mill Finish or Powder Coated
Materials now stocked in Black Powder Coat

Supreme 92mm Partition Suite







92mm Steel Stud with 13mm Plasterboard

Profile	Description	Lengths
	DPS-92/01 Supreme Track PP: 155 AP: 569	2150 2750 3750
	DPS-92/02 Supreme Mating Track PP: 156 AP: 506	2750 3750
	DPS-92/04 Supreme Shadowline Track PP: 202 AP: 503	2750 3750
	DPS-92/05 Standard Supreme Track PP: 185 AP: 504	2750 3750
	DPS-92/10 Supreme Sill PP: 101 AP: 569	2750 3750
	DPS-76/15 Supreme Bead PP: 101 AP: 162	2750 3750
	DPS-76/20 Supreme Doorstop 35mm Door (<i>narrow side</i>) PP: 101 AP: 131	2150 2750 3750

Items available in Anodised Finish, Mill Finish or Powder Coated

Supreme 92mm Partition Suite








92mm Steel Stud with 13mm Plasterboard

Profile	Description	Lengths
	DPS-92/40	2150
	Supreme Doorstop	2750
	40mm Door (<i>narrow side</i>)	3750
	PP: 101 AP: 120	
	ECO-64/45	2150
	Econo Door Stop	2750
	45mm Door (<i>narrow side</i>)	3750
	PP: 101 AP: 131	
	DPS-25	3000
	Supreme Flush Filler	
	PP: 101 AP: 101	
	BAP-017	2750
	Supreme Flush Plate	3750
	PP: 105 AP: 238	
	DPS-06	2750
	13 - 6mm Board Adaptor	3750
	PP: 101 AP: 101	
	DPS-07	2750
	13 - 10mm Board Adaptor	3750
	PP: 101 AP: 101	

Items available in Anodised Finish, Mill Finish or Powder Coated

Supreme 92mm Partition Suite

92mm Steel Stud with 13mm Plasterboard





Profile	Description	Lengths
	SCS-92/17 Supreme Cavity Capping PP: 216 AP: 324	2150 2750
	SCS-92/19 Supreme Cavity Receiver PP: 362 AP: 542	2150 2750
	SCS-92/34 Supreme Cavity Channel PP: 164 AP: 409	3250
	SCS-92/38 Cavity Slider Head PP: 184 AP: 718	3750
	SCT-32 Cavity Sliding Track PP: 101 AP: 285	2200 4400
	SCP-28 Cavity Slider Pelmet PP: 101 AP: 101	3750
	SCP-29 Cavity Slider Pelmet Base PP: 101 AP: 101	3750

Items available in Anodised Finish, Mill Finish or Powder Coated

Supreme 92mm Partition Suite

92mm Steel Stud with 13mm Plasterboard

Cavity Sliding Door Frame Kits

Profile	Description	Sizes
	SCSK-92/100 Supreme Cavity Sliding Door Frame Kit	2150 x 620 - 1000
	SCSK-92/105 Supreme Cavity Sliding Door Frame Kit	2750 x 620 - 1000
	SCSK-92/200 Supreme Cavity Sliding Oversized Door Frame Kit	2150 x 1000 - 1200
	SCSK-92/205 Supreme Cavity Sliding Oversized Door Frame Kit	2750 x 1000 - 1200
	To Suit 35mm to 40mm Doors Add DPS-07 Board Adaptors to Suit 10mm Plasterboard	SCSK-92/300 Frameless Glass Cavity Sliding Door Frame Kit
	SCR-005 Eku Porta 60/100 Soft-Closer	2150 x 620 - 1000
	SCSK-92/305 Frameless Glass Cavity Sliding Door Frame Kit	2750 x 620 - 1000
	SCSDK-92/110 Supreme Cavity Sliding Double Door Frame Kit	2150 x 1000 - 1800
	SCSDK-92/115 Supreme Cavity Sliding Double Door Frame Kit	2750 x 1000 - 1800

Scan the QR Code to
View the Assembly
Video Online




or at www.brisaluminium.com/cavity-door-slider/

Cavity Sliding Door Frame Kits come with all Components Included
Items available in Anodised Finish or Powder Coated

Supreme 92mm Partition Suite

Door Frame Kits

92mm Steel Stud with 13mm Plasterboard

Profile	Description	Sizes
 DPS-76/20 Doorstop Narrow Side of Frame	DFK-92/100 Door Frame Kit	2150 x 627 - 1007
 DPS-92/40 Doorstop Narrow Side of Frame	DFK-92/105 Door Frame Kit	2750 x 627 - 1007
 DPS-92/40 Doorstop Narrow Side of Frame	DFK-92/130 Door Frame Kit With Mating Head	2750 x 627 - 1007
 ECO-64/45 Doorstop Narrow Side of Frame	DDFK-92/110 Double Door Frame Kit	2150 x 1007 - 1849
 ECO-64/45 Doorstop Narrow Side of Frame	DDFK-92/115 Double Door Frame Kit	2750 x 1007 - 1849
 with Mating Head	DDFK-92/135 Double Door Frame Kit With Mating Head	2750 x 1007 - 1849
 with Mating Head	SFLDK-92/160 Fan-Lite Door Frame Kit	2750 x 627 - 1007
	SFDDK-92/165 Double Fan-Lite Door Kit	2750 x 1007 - 1849

Stocked Door Frame Kits

Stock Sizes

DFK-92/100SA	2150 x 927
DFK-92/105SA	2750 x 927
DFK-92/130SA (mating head)	2750 x 927

Door Frame Kits come with Instructions, Hinges & Screws Included
Items available in Anodised Finish, Mill Finish or Powder Coated

Supreme 92mm Partition Suite

Glazing Frame Kits

92mm Steel Stud with 13mm Plasterboard

Profile	Heights	Widths
	900 x	900
		1200
		1800
		2700
		3600
Supreme Glazing Frame Kits & Mating Stile Side-Lights	1200 x	900
		1200
		1800
		2700
		3600
	1800 x	900
		1200
		1800
		2700
		3600
	2150 x	900
		1200
		1800
		2700
		3600
	2750 x	900
		1200
		1800
		2700
		3600
	3600 x	900
		1200
		1800
		2700
		3600

Glazing Frame Kits come with Instructions & Screws Included
Items available in Anodised Finish, Mill Finish or Powder Coated

SUPREME

ALUMINIUM DOOR FRAME KITS



ASSEMBLY INSTRUCTIONS:

1. Cut stiles to suit door height (allow clearance).
 2. Insert Slam Strip into Head Stop and trim.
 3. Screw-fix Stiles to Head through pre-drilled holes with $\frac{3}{4}$ x 6 Pan head screws supplied.
 4. Position Door Frame and pop rivet to studs through stud legs and stop recess.
 5. Cut Stile Stops to length and insert Slam Strip. Snap-fix Stops into Frame starting at the top.
 6. Wall can now be sheeted and care should be taken when fixing-off your door frames.
 7. The Frame Section has an offset pocket, this allows various thickness of std Doors to be hung.
- N.B. In all cases the hinges must be fixed 100mm max. from top and 200mm max. from bottom of door.**

51mm Supreme System:

- 35mm Door use DPS 20 Door Stop (Facing Narrow side of Frame)
- 40mm Door use DPS 40 Door Stop (Facing Narrow side of Frame)
- 45mm Door reverse DPS 20 Door Stop (Facing Wide side of Frame)

64mm Supreme System:

- 35mm Door use DPS 20 Door Stop (Facing Narrow side of Frame)
- 40mm Door use DPS 40 Door Stop (Facing Narrow side of Frame)
- 45mm Door use DPS 76/20 Door Stop (Facing Wide side of Frame)

76mm Econo-Wall System:

- 35mm Door use DPS 76/20 Door Stop (For either side of the Frame)
- 40mm Door use DPS 92/40 Door Stop (Facing Narrow side of Frame)
- 45mm Door use ECO 64/45 Door Stop (For either side of the Frame)

92mm Supreme System:

- 35mm Door use DPS 76/20 Door Stop (Facing Narrow side of Frame)
- 40mm Door use DPS 92/40 Door Stop (Facing Narrow side of Frame)
- 45mm Door use ECO 64/45 Door Stop (Facing Narrow side of Frame)

CONTENTS FOR 2100h KIT:

- Stiles (long) x 2
- Head (short) x 1
- Stile Stop (long) x 2
- Head Stop (short) x 1
- Hinges x 2
- Assembly Screws x 4
- Hinge Screws (Door) x 6
- Hinge Screws (Frame) x 6
- Slam Strip

CONTENTS FOR 2700h KIT:


- Stiles (long) x 2
- Head (short) x 1
- Stile Stop (long) x 2
- Head Stop (short) x 1
- Hinges x 3
- Assembly Screws x 4
- Hinge Screws (Door) x 9
- Hinge Screws (Frame) x 9
- Slam Strip

64mm Econo-Wall System:

- 35mm Door use DPS 20 Door Stop (Facing Narrow side of Frame)
- 40mm Door use DPS 40 Door Stop (Facing Narrow side of Frame)
- 45mm Door use ECO 64/45 Door Stop (Facing wide side of Frame)

76mm Supreme System:

- 35mm Door use DPS 76/20 Door Stop (Facing Narrow side of Frame)
- 40mm Door use DPS 76/20 Door Stop (Facing Wide side of Frame)
- 45mm Door use DPS 92/40 Door Stop (Facing Wide side)



NOTE: Before fixing your frame always check the swing of the door.

NORTHSIDE
12 SALTASH STREET
VIRGINIA
PH: (07) 3260 6077
FAX: (07) 3260 6400

SOUTHSIDE
4 JUDDS COURT
SLACKS CREEK
PH: (07) 3299 5227
FAX: (07) 3299 5228

BRIS ALUMINIUM

ACN 083 447 812 ABN 13 083 447 812

www.brisaluminium.com.au

SUPREME

ALUMINIUM GLAZING FRAME KITS



CONTENTS FOR GLAZING FRAMES

SUPREME TRACK  = 2

GLAZING SILL  = 2

GLAZING BEAD  = 2

6 x 3/4 PAN HEAD SCREWS SUPPLIED

OPTIONAL MATING TRACK (FOR SIDES LITES) 

ASSEMBLY INSTRUCTIONS

1. Screw fix Supreme Track into Glazing Sill through pre-drilled holes with 6 x 3/4 Pan Head Screws.
2. To change the frame height – cut the desired styles from the bottom. This allows pre punched top stiles to go into head track. Using off cut piece to use as a template to drill new holes into the bottom of the frame.
3. Position Frame so that the Glazing Bead will clip on to the Glazing Sill on the inside of the room.
4. Position Glazing Frame and Pop Rivet to Studs through Fins and/or Glazing Pocket.
5. Wall can now be Sheeted and care should be taken installing the glass.
6. Clip on Glazing Bead on to Glazing Sill.


NO CREDITS OR RE-STOCKING OF GLAZING FRAME KITS (FABRICATED ITEMS)

Orders Placed for Glazing Frame Kits should be provided as 'H' (Height) x 'W' (Width) example of Product Code: SGFK-51/27x12A (2700 x 1200 Clear Anodised)

NOTE: Before fixing your frame always check that you have put the Glazing Bead on the inside of the room.

Glazing Wedge Guide:

6mm Glass P40 Glazing Rubber both sides
8mm Glass P113 Glazing Rubber both sides
10mm Glass P41 Glazing Rubber both sides
12mm Glass P43/1 One side with P31/29, or wet glaze










NORTHSIDE
12 SALTASH STREET
VIRGINIA
PH: (07) 3260 6077
FAX: (07) 3260 6400

SOUTHSIDE
4 JUDDS COURT
SLACKS CREEK
PH: (07) 3299 5227
FAX: (07) 3299 5228







BRIS ALUMINIUM
ACN 088 447 812 ABN 13 088 447 812
www.brisaluminium.com.au

Supreme Partition Suite Accessories

Profile	Description	Lengths
	DPS-35 Supreme Split Starter PP: 101 AP: 230	2750 3750
	DPS-45 Supreme Casing Bead PP: 101 AP: 101	2750 3750
	DPS-50 Shadowline Casing Bead PP: 101 AP: 101	2750 3750
	ADT-1854 Table Top Threshold PP: 119 AP: 229	2150 3250 6500
	ADT-008 Disabled Ramp Threshold PP: 125 AP: 277	2150 3250 6500
	SDGA-35 Double Glazing Adaptor PP: 101 AP: 120	3250 6500
	SDGB-36 Double Glazing Bead PP: 101 AP: 101	3250 6500
	SDGC-37 Double Glazing Channel PP: 101 AP: 160	3250 6500

Items available in Anodised Finish, Mill Finish or Powder Coated

Supreme Partition Suite Accessories

Profile	Description	Lengths
	TST-70/15 Plant-On Doorstop PP: 101 AP: 101	2150 2750 3750
	SCB-23 Cavity Slider Bracing PP: 101 AP: 154	4100
	SCB-26 Cavity Vertical Bracing PP: 101 AP: 150	4100
	DPS-64/45 Alternate Doorstop 45mm Door (<i>narrow side</i>) Use 4.5mm Seal BA-2001 For Supreme & Econo 64 PP: 101 AP: 101	2150 2750 3750
	SDS-64 64mm Steel Split Stud	3000
	HSS-76 76mm Steel Heavy M Stud	3000
	SDS-92 92mm Steel Split Stud	3000

Items available in Anodised Finish, Mill Finish or Powder Coated

Supreme Partitions Acoustic Rating Guide

13mm Plasterboard

Plasterboard	Stud Size	Partition Suite	Nil Insul Rw	With Insulation	
				Rw	Rw + Ctr
Boral Ref: S1313					
1 x 13mm Std Core each side	64mm	64x13	35	43	31
	76mm	76x13	36	44	33
	92mm	92x13	37	45	34
Boral Ref: S1313A					
1 x 13mm Soundstop each side	64mm	64x13	37	45	34
	76mm	76x13	38	49	36
	92mm	92x13	38	49	37
Boral Ref: S1313F					
1 x 13mm Firestop each side	64mm	64x13	37	44	33
	76mm	76x13	37	45	34
	92mm	92x13	37	46	35
Boral Ref: SB.4A (web ref)					
1 x 13mm Std Core one side	51mm	64x13	37	42	30
2 x 13mm Std Core other side	64mm	76x13	38	46	35
	76mm	92x13	39	44	32
Boral Ref: B.4C (web ref)					
1 x 13mm Soundstop one side	51mm	64x13	40	46	36
2 x 13mm Soundstop other side	64mm	76x13	41	50	38
	76mm	92x13	43	48	38
Boral Ref: S1326F					
1 x 13mm Firestop one side	51mm	64x13	40	49	37
2 x 13mm Firestop other side	64mm	76x13	40	49	37
	76mm	92x13	42	50	39
Boral Ref: S2626					
2 x 13mm Std Core each side	51mm	76x13	43	49	40
	64mm	92x13	44	50	41
Boral Ref: S2626A					
2 x Soundstop each side	51mm	76x13	46	52	42
	64mm	92x13	47	52	44
Boral Ref: S2626F					
2 x 13mm Firestop each side	51mm	76x13	45	51	42
	64mm	92x13	46	52	43

Supreme Partitions Acoustic Rating Guide

13mm Plasterboard

One layer each side

One layer one side
Two layers the other side

Two layers each side

eg. Supreme 76 x 13mm



76mm Steel Stud




64mm Steel Stud




51mm Steel Stud


eg. Supreme 92 x 13mm




92mm Steel Stud



76mm Steel Stud







64mm Steel Stud



Typical R_w Ratings

Figures quoted from the Boral Selector + Plasterboard Manual Issue 2 Feb 2009

Supreme Partitions Acoustic Seals

Profile	Description	Sizes
	LO-IS7080 Kilargo Acoustic Door Seals	2100 x 1000 2700 x 1000 2100 x 2100 2700 x 2100
	LO-IS8005SI Kilargo Flanged Mortised Auto Bottom Seal	380mm to 1220mm
	LO-IS8010SI Kilargo Mortised Auto Bottom Seal	380mm to 1220mm
	LO-IS8011SI Kilargo Face-Fixed Auto Bottom Seal	380mm To 1220mm

Various Other Seals Available Upon Request.








Items available in Anodised Finish or Powder Coated



64mm & 76mm
ECONO SUITES
for 10mm linings

Econo 64mm Partition Suite






64mm Steel Stud with 10mm Plasterboard

Profile	Description	Lengths
	ECO-64/01 Econo Track PP: 127 AP: 490	2150 2750 3750
	ECO-64/02 Econo Mating Track PP: 130 AP: 419	2750 3750
	ECO-64/04 Econo Shadowline Track PP: 169 AP: 433	2750 3750
	ECO-64/05 Standard Econo Track PP: 149 AP: 422	2750 3750
	ECO-64/10 Econo Sill PP: 101 AP: 437	2750 3750
	DPS-15 Supreme Bead PP: 101 AP: 130	2750 3750
	DPS-20 Supreme Doorstop 35mm Door (<i>narrow side</i>) PP: 101 AP: 118	2150 2750 3750

Items available in Anodised Finish, or Powder Coated

Econo 64mm Partition Suite

64mm Steel Stud with 10mm Plasterboard





Profile	Description	Lengths
	DPS-40 Supreme Doorstop 40mm Door (<i>narrow side</i>) PP: 101 AP: 120	2150 2750 3750
	ECO-64/45 Econo Door Stop 45mm Door (<i>wide side</i>) PP: 101 AP: 120	2150 2750 3750
	DPS-25 Supreme Flush Filler PP: 101 AP: 101	3000
	SDS-64 64mm Steel Split Stud	3000
	DPS-64/45 Alternate Doorstop 45mm Door (<i>narrow side</i>) Use 4.5mm Seal BA-2001 For Supreme & Econo 64 PP: 101 AP: 101	2150 2750 3750

Items available in Anodised Finish, Mill Finish or Powder Coated

Econo 64mm Partition Suite

Door Frame Kits

64mm Steel Stud with 10mm Plasterboard


Profile	Description	Sizes
 DPS-20 Doorstop Narrow Side of Frame	EDFK-64/100 Econo Door Frame Kit	2150 x 627 - 1007
	EDFK-64/105 Econo Door Frame Kit	2750 x 627 - 1007
 DPS-40 Doorstop Narrow Side of Frame	EDFK-64/130 Econo Door Frame Kit With Mating Head	2750 x 627 - 1007
	EDDFK-64/110 Econo Double Door Frame Kit	2150 x 1007 - 1849
 ECO-64/45 Doorstop Wide Side of Frame	EDDFK-64/115 Econo Double Door Frame Kit	2750 x 1007 - 1849
	EDDFK-64/135 Econo Double Door Frame Kit With Mating Head	2750 x 1007 - 1849
 with Mating Head	EFLDK-64/160 Econo Fan-Lite Door Frame Kit	2750 x 627 - 1007
	EFDDK-64/165 Econo Double Fan-Lite Door Kit	2750 x 1007 - 1849

Door Frame Kits come with Instructions, Hinges & Screws Included
Items available in Anodised Finish, or Powder Coated

Econo 64mm Partition Suite

Glazing Frame Kits







64mm Steel Stud with 10mm Plasterboard

Profile	Heights	Widths
	900 x	900
		1200
		1800
		2700
		3600
Econo Glazing Frame Kits & Mating Stile Side-Lights	1200 x	900
		1200
		1800
		2700
	1800 x	3600
		900
		1200
		1800
	2150 x	2700
		3600
		900
		1200
	2750 x	1800
		2700
		3600
	3600 x	900
		1200
		1800
		2700
		3600

Glazing Frame Kits come with Instructions & Screws Included
Items available in Anodised Finish, or Powder Coated

Econo 76mm Partition Suite





76mm Steel Stud with 10mm Plasterboard

Profile	Description	Lengths
	ECO-76/01 Econo Track PP: 127 AP: 490	2150 2750 3750
	ECO-76/02 Econo Mating Track PP: 130 AP: 419	2750 3750
	ECO-76/05 Standard Econo Track PP: 149 AP: 422	2750 3750
	ECO-76/10 Econo Sill PP: 101 AP: 437	2750 3750
	DPS-76/15 Supreme Bead PP: 101 AP: 130	2750 3750
	DPS-76/20 Supreme Doorstop 35mm Door (<i>either side</i>) PP: 101 AP: 118	2150 2750 3750

Items available in Anodised Finish or Powder Coated

Econo 76mm Partition Suite

76mm Steel Stud with 10mm Plasterboard





Profile	Description	Lengths
	DPS-92/40	2150
	Supreme Doorstop	2750
	40mm Door (<i>either side</i>)	3750
	PP: 101 AP: 120	
	ECO-64/45	2150
	Econo Door Stop	2750
	45mm Door (<i>either side</i>)	3750
	PP: 101 AP: 120	
	DPS-25	3000
	Supreme Flush Filler	
	PP: 101 AP: 101	
	HSS-76	3000
	76mm Steel Heavy M Stud	

Items available in Anodised Finish or Powder Coated

Econo 76mm Partition Suite

Door Frame Kits

76mm Steel Stud with 10mm Plasterboard


Profile	Description	Sizes
	EDFK-76/100 Econo Door Frame Kit	2150 x 627 - 1007
	EDFK-76/105 Econo Door Frame Kit	2750 x 627 - 1007
	EDFK-76/130 Econo Door Frame Kit With Mating Head	2750 x 627 - 1007
	EDDFK-76/110 Econo Double Door Frame Kit	2150 x 1007 - 1849
	EDDFK-76/115 Econo Double Door Frame Kit	2750 x 1007 - 1849
	EDDFK-76/135 Econo Double Door Frame Kit With Mating Head	2750 x 1007 - 1849
	EFLDK-76/160 Econo Fan-Lite Door Frame Kit	2750 x 627 - 1007
	EFDDK-76/165 Econo Double Fan-Lite Door Kit	2750 x 1007 - 1849

Door Frame Kits come with Instructions, Hinges & Screws Included
Items available in Anodised Finish or Powder Coated

Econo 76mm Partition Suite

Glazing Frame Kits


76mm Steel Stud with 10mm Plasterboard

Profile	Heights	Widths
	900 x	900
		1200
		1800
		2700
		3600
Econo Glazing Frame Kits & Mating Stile Side-Lights	1200 x	900
		1200
		1800
		2700
		3600
	1800 x	900
		1200
		1800
		2700
		3600
	2150 x	900
		1200
		1800
		2700
		3600
	2750 x	900
		1200
		1800
		2700
		3600
	3600 x	900
		1200
		1800
		2700
		3600

Glazing Frame Kits come with Instructions & Screws Included
Items available in Anodised Finish or Powder Coated

SUPREME

ALUMINIUM DOOR FRAME KITS



ASSEMBLY INSTRUCTIONS:

1. Cut stiles to suit door height (allow clearance).
 2. Insert Slam Strip into Head Stop and trim.
 3. Screw-fix Stiles to Head through pre-drilled holes with $\frac{3}{4}$ x 6 Pan head screws supplied.
 4. Position Door Frame and pop rivet to studs through stud legs and stop recess.
 5. Cut Stile Stops to length and insert Slam Strip. Snap-fix Stops into Frame starting at the top.
 6. Wall can now be sheeted and care should be taken when fixing-off your door frames.
 7. The Frame Section has an offset pocket, this allows various thickness of std Doors to be hung.
- N.B. In all cases the hinges must be fixed 100mm max. from top and 200mm max. from bottom of door.**

51mm Supreme System:

- 35mm Door use DPS 20 Door Stop (Facing Narrow side of Frame)
- 40mm Door use DPS 40 Door Stop (Facing Narrow side of Frame)
- 45mm Door reverse DPS 20 Door Stop (Facing Wide side of Frame)

64mm Supreme System:

- 35mm Door use DPS 20 Door Stop (Facing Narrow side of Frame)
- 40mm Door use DPS 40 Door Stop (Facing Narrow side of Frame)
- 45mm Door use DPS 76/20 Door Stop (Facing Wide side of Frame)

76mm Econo-Wall System:

- 35mm Door use DPS 76/20 Door Stop (For either side of the Frame)
- 40mm Door use DPS 92/40 Door Stop (Facing Narrow side of Frame)
- 45mm Door use ECO 64/45 Door Stop (For either side of the Frame)

92mm Supreme System:

- 35mm Door use DPS 76/20 Door Stop (Facing Narrow side of Frame)
- 40mm Door use DPS 92/40 Door Stop (Facing Narrow side of Frame)
- 45mm Door use ECO 64/45 Door Stop (Facing Narrow side of Frame)

CONTENTS FOR 2100h KIT:

- Stiles (long) x 2
- Head (short) x 1
- Stile Stop (long) x 2
- Head Stop (short) x 1
- Hinges x 2
- Assembly Screws x 4
- Hinge Screws (Door) x 6
- Hinge Screws (Frame) x 6
- Slam Strip

CONTENTS FOR 2700h KIT:


- Stiles (long) x 2
- Head (short) x 1
- Stile Stop (long) x 2
- Head Stop (short) x 1
- Hinges x 3
- Assembly Screws x 4
- Hinge Screws (Door) x 9
- Hinge Screws (Frame) x 9
- Slam Strip

64mm Econo-Wall System:

- 35mm Door use DPS 20 Door Stop (Facing Narrow side of Frame)
- 40mm Door use DPS 40 Door Stop (Facing Narrow side of Frame)
- 45mm Door use ECO 64/45 Door Stop (Facing wide side of Frame)

76mm Supreme System:

- 35mm Door use DPS 76/20 Door Stop (Facing Narrow side of Frame)
- 40mm Door use DPS 76/20 Door Stop (Facing Wide side of Frame)
- 45mm Door use DPS 92/40 Door Stop (Facing Wide side)



NOTE: Before fixing your frame always check the swing of the door.

NORTHSIDE

12 SALTASH STREET
VIRGINIA
PH: (07) 3260 6077
FAX: (07) 3260 6400

SOUTHSIDE

4 JUDDS COURT
SLACKS CREEK
PH: (07) 3299 5227
FAX: (07) 3299 5228

BRIS ALUMINIUM

ACN 083 447 812 ABN 13 083 447 812

www.brisaluminium.com.au

SUPREME

ALUMINIUM GLAZING FRAME KITS



CONTENTS FOR GLAZING FRAMES

SUPREME TRACK  = 2

GLAZING SILL  = 2

GLAZING BEAD  = 2

6 x 3/4 PAN HEAD SCREWS SUPPLIED

OPTIONAL MATING TRACK (FOR SIDES LITES) 

ASSEMBLY INSTRUCTIONS

1. Screw fix Supreme Track into Glazing Sill through pre-drilled holes with 6 x 3/4 Pan Head Screws.
2. To change the frame height – cut the desired styles from the bottom. This allows pre punched top stiles to go into head track. Using off cut piece to use as a template to drill new holes into the bottom of the frame.
3. Position Frame so that the Glazing Bead will clip on to the Glazing Sill on the inside of the room.
4. Position Glazing Frame and Pop Rivet to Studs through Fins and/or Glazing Pocket.
5. Wall can now be Sheeted and care should be taken installing the glass.
6. Clip on Glazing Bead on to Glazing Sill.


NO CREDITS OR RE-STOCKING OF GLAZING FRAME KITS (FABRICATED ITEMS)

Orders Placed for Glazing Frame Kits should be provided as 'H' (Height) x 'W' (Width) example of Product Code: SGFK-51/27x12A (2700 x 1200 Clear Anodised)

NOTE: Before fixing your frame always check that you have put the Glazing Bead on the inside of the room.

Glazing Wedge Guide:

- | | |
|------------|--|
| 6mm Glass | P40 Glazing Rubber both sides |
| 8mm Glass | P113 Glazing Rubber both sides |
| 10mm Glass | P41 Glazing Rubber both sides |
| 12mm Glass | P43/1 One side with P31/29, or wet glaze |










NORTHSIDE
12 SALTASH STREET
VIRGINIA
PH: (07) 3260 6077
FAX: (07) 3260 6400

SOUTHSIDE
4 JUDDS COURT
SLACKS CREEK
PH: (07) 3299 5227
FAX: (07) 3299 5228

BRIS ALUMINIUM
ACN 088 447 812 ABN 13 088 447 812
www.brisaluminium.com.au

Econo Partition Suite Accessories

Profile	Description	Lengths
	ECO-35 Econo Split Starter PP: 101 AP: 230	2750 3750
	ECO-45 Econo Casing Bead PP: 101 AP: 101	2750 3750
	ECO-50 Shadowline Casing Bead PP: 101 AP: 101	2750 3750
	ADT-1854 Table Top Threshold PP: 119 AP: 229	2150 3250 6500
	ADT-008 Disabled Ramp Threshold PP: 125 AP: 277	2150 3250 6500
	SDGA-35 Double Glazing Adaptor PP: 101 AP: 120	3250 6500
	SDGB-36 Double Glazing Bead PP: 101 AP: 101	3250 6500
	SDGC-37 Double Glazing Channel PP: 101 AP: 160	3250 6500

Items available in Anodised Finish, Mill Finish or Powder Coated









100mm, 125mm & 152mm

ALUMINUM SKIRTING

screw fixed, glue fixed & partition accessories

Aluminium Skirting

Screw Fixed 50mm, 100mm, 125mm & 152mm



Image	Description	Lengths
	AS-50 50mm Screw Fixed Skirting PP: 101 AP: 140	3620
	AS-100 100mm Screw Fixed Skirting PP: 101 AP: 237 <i>Also Stocked in Black Powder Coat</i>	3620
	AS-125 125mm Screw Fixed Skirting PP: 121 AP: 293	3620
	AS-152 152mm Screw Fixed Skirting PP: 166 AP: 350	3620
 Break points to fit 50, 100, 125 & 152mm	ASE-150 Internal/External Corner/End Black, Grey, White Suits 50, 100, 125, 152mm	Each
 Break points to fit 100, 125 & 152mm	ASJ-150 Skirting Joiner Suits 100, 125, 152mm	Each
	BA-2002 Skirting Insert Rubber Black, Grey, White	50mtr Roll 100mtr Roll

instructions at www.brisaluminium.com.au/products/concealed-fix-skirting/

Items available in Anodised Finish, Mill Finish or Powder Coated

Aluminium Skirting

Screw Fixed 50mm, 100mm, 125mm & 152mm

Image	Description	Lengths
	FAS-100 100mm Glue Fixed Skirting PP: 101 AP: 203	3600
	FAS-150 150mm Glue Fixed Skirting PP: 150 AP: 304	3600
	BA-1608 Strong As Nails - 350g Construction Adhesive	Each
	Grab'n'Go Bucket x 20	Each
	TR-58 HEXFIX TR-58 SILICONE Glass, Metal & Masonry 300ml Translucent, White Light Grey, Matt Black	Each
	Touch Up Paints Satin Black, Pearl White & Clear Anodise Other Colours Available Upon Request	Each
	BA-1600 Protective Film 150mm x 200mtr	Roll

Items available in Anodised Finish, Mill Finish or Powder Coated

Partition Systems Accessories

Image	Description	Unit
	BA-2501 Stainless Steel Ball Bearing Hinge	Each
	BA-2503 Stainless Steel Bi-Handed Lift-Off Hinge	Each
	BA-2504 Black Aluminium Fast-Fix Hinge	Each
	BA-2000 Slam Strip Black or Grey 4.5 , 7 , 9 & 12mm	Metres
	BA-2011 Rubber Slam Strip Black or Grey	Metres
	BA-2010 Light Barrier Seal - 20mtr	Roll
	BA-2502 De-Finishing Tool	Each
	BA-1997 Aluminium Rubber	Each

Aluminium Ducted Skirting Systems

100mm, 125mm, 150mm


Image	Description	Unit
	C10035/BC 100 x 35mm Ducted Skirting with drop in cover	3000mm
	C10035/C Internal / External Corner	Each
	C10035/GPO GPO Mounting Kit	Each
	C10035/SE 100 x 35mm Stop End	Each
	C10035/VD Voice/Data Mounting Kit	Each
	C12540/BC 125 x 40mm Ducted Skirting with drop in cover	3000mm
	C12540/C Internal / External Corner	Each
	C12540/GPO GPO Mounting Kit	Each
	C12540/SE 100 x 35mm Stop End	Each
	C12540/VD Voice/Data Mounting Kit	Each

Items available in Anodised Finish or Powder Coated

Aluminium Ducted Skirting Systems

100mm, 125mm, 150mm

Image	Description	Unit
	C15050/BC 150 x 50mm Ducted Skirting with drop in cover	3000mm
	C15050/C Internal / External Corner	Each
	C15050/GPO GPO Mounting Kit	Each
	C15050/SE 150 x 50mm Stop End	Each
	C15050/VD Voice/Data Mounting Kit	Each




Items available in Anodised Finish or Powder Coated

TYPICAL TECHNICAL DRAWINGS

supreme 64mm, 76mm & 92mm, econo 64mm & 76mm

Supreme / Econo Technical Drawings




**TYPICAL PANEL SECTIONS
FOR THE 64 "SUPREME" DEMOUNTABLE SYSTEM**


SIMILAR DETAILS FOR 64, 76, 92 SUPREME, 64 & 76 ECONO-WALL SYSTEMS

All drawings © Copyright Bris Aluminium Pty Ltd. All rights reserved

Supreme / Econo Technical Drawings





SECTION A-A
SHADOWLINE HEAD & SKIRTING DETAIL



SECTION B-B
EXTERNAL CORNER DETAIL

All drawings © Copyright Bris Aluminium Pty Ltd. All rights reserved



Supreme / Econo Technical Drawings



SECTION E-E
TOP & HALF GLAZED DETAIL

All drawings © Copyright Bris Aluminium Pty Ltd. All rights reserved

Supreme / Econo Technical Drawings




All drawings © Copyright Bris Aluminium Pty Ltd. All rights reserved

BRIS ALUMINIUM
SUPREME PARTITION SYSTEMS




Bris Aluminium Catalogue

Supreme / Econo Technical Drawings




SECTION F-F
FULL HEIGHT GLAZING DETAIL




SECTION H-H
DOOR HEAD & GLAZED TOP SECTION DETAIL

All drawings © Copyright Bris Aluminium Pty Ltd. All rights reserved

Cavity Sliding Door Frame Technical Drawings




E FULL HEIGHT DOOR FRAME
& HEAD TRACK
SUPREME 64 CAVITY SLIDING UNIT
26.08.2016



B1 STANDARD DOOR FRAME
WITH 20mm PELMET
& HEAD TRACK
SUPREME 64 CAVITY SLIDING UNIT
26.08.2016

All drawings © Copyright Bris Aluminium Pty Ltd. All rights reserved

Cavity Sliding Door Frame Technical Drawings




STANDARD CAVITY
SLIDING DOOR UNIT
SUPREME 64 CAVITY SLIDING UNIT
26-08-2016

A

All drawings © Copyright Bris Aluminium Pty Ltd. All rights reserved

Cavity Sliding Door Frame Technical Drawings



All drawings © Copyright Bris Aluminium Pty Ltd. All rights reserved



70mm - 218mm walls

ADJUSTABLE SUITE

35mm & 40mm door frames & glazing frames

Adjustable Partition Suite






70mm - 218mm Walls

Image	Description	Lengths
	APS/70-130 Adjustable Main Frame 35mm Door PP: 101 AP: 452	2150 2750
	APS/70-140 Adjustable Main Frame 40mm Door PP: 103 AP: 456	2150 2750
	APS/70-89 Small Adjuster PP: 101 AP: 245	2150 2750
	APS/90-109 Medium Adjuster PP: 101 AP: 290	2150 2750
	APS/110-130 Large Adjuster PP: 101 AP: 325	2150 2750
	APS/150-170 Oversized Adjuster PP: 125 AP: 400	2150 2750

Items available in Anodised Finish, Mill Finish or Powder Coated

Adjustable Partition Suite

70mm - 218mm Walls

Image	Description	Lengths
	APS/198-218 Super Adjuster PP: 175 AP: 557	2150 2750
	APSA/70-156 Adjustable Architrave PP: 101 AP: 101	2150 2750
	APSA/50 50mm Architrave PP: 101 AP: 144	2150 2750
	ASGA/70-130 Adjustable Glazing Adaptor PP: 101 AP: 101	3750
	ASGB/70-130 Adjustable Glazing Bead PP: 101 AP: 101	3750



Items available in Anodised Finish, Mill Finish or Powder Coated

Adjustable Partition Suite

70mm - 218mm Walls

Door Frame Kits

to suit 35mm Doors

Profile	Description	Sizes
	ADFK-70-89 Adjustable Door Frame Kit	2090 x 697 - 1027
	ADFK-70-89/27 Adjustable Door Frame Kit	2700 x 697 - 1027
	ADDFK-70-89 Adjustable Double Door Frame Kit	2090 x 1027 - 1919
	ADDFK-70-89/27 Adjustable Double Door Frame Kit	2700 x 1027 - 1919
	ADFK-90-109 Adjustable Door Frame Kit	2090 x 697 - 1027
	ADFK-90-109/27 Adjustable Door Frame Kit	2700 x 697 - 1027
	ADDFK-90-109 Adjustable Double Door Frame Kit	2090 x 1027 - 1919
	ADDFK-90-109/27 Adjustable Double Door Frame Kit	2700 x 1027 - 1919



Door Frame Kits come with Instructions, Hinges & Screws Included
Items available in Anodised Finish, Mill Finish or Powder Coated

Adjustable Partition Suite

70mm - 218mm Walls

Door Frame Kits

to suit 35mm Doors

Profile	Description	Sizes
	ADFK-110-130 Adjustable Door Frame Kit	2090 x 697 - 1027
	ADFK-110-130/27 Adjustable Door Frame Kit	2700 x 697 - 1027
	ADDFK-110-130 Adjustable Double Door Frame Kit	2090 x 1027 - 1919
	ADDFK-110-130/27 Adjustable Double Door Frame Kit	2700 x 1027 - 1919
	ADFK-150-170 Adjustable Door Frame Kit	2090 x 697 - 1027
	ADFK-150-170/27 Adjustable Door Frame Kit	2700 x 697 - 1027
	ADDFK-150-170 Adjustable Double Door Frame Kit	2090 x 1027 - 1919
	ADDFK-150-170/27 Adjustable Double Door Frame Kit	2700 x 1027 - 1919


Door Frame Kits come with Instructions, Hinges & Screws Included
Items available in Anodised Finish, Mill Finish or Powder Coated

Adjustable Partition Suite

70mm - 218mm Walls


Door Frame Kits

to suit 35mm Doors

Profile	Description	Sizes
		
	ADFK-198-218 Adjustable Door Frame Kit	2090 x 697 - 1027
	ADFK-198-218/27 Adjustable Door Frame Kit	2700 x 697 - 1027
	ADDFK-198-218 Adjustable Double Door Frame Kit	2090 x 1027 - 1919
	ADDFK-198-218/27 Adjustable Double Door Frame Kit	2700 x 1027 - 1919

Door Frame Kits come with Instructions, Hinges & Screws Included
Items available in Anodised Finish, Mill Finish or Powder Coated

“SUPREME” Adjustable Door Frame Kits



35 mm & 40 mm Doors only

ASSEMBLY INSTRUCTIONS

1. Screw (Part A) sections together with 8 gauge x 25mm Pan Head screws supplied.
2. Screw (Part B) sections together with 8 gauge x 25mm Pan Head Screws supplied.
3. For Wall Opening Size refer formula below.
4. Position (Part A & Part B) into the opening and squeeze together.
5. Square and plumb frame in place, then screw-fix it.
6. Take (Part C) and snap-fix vertical architraves first and then snap-fix horizontal pieces.
7. 2100 Door Frame is 2 hinges, 2700 is 3 hinges.

N.B. In all cases the hinges must be fixed 100mm max from top and 200mm max from bottom of door.


CONTENTS

PART A
(Main Frame) = 2 Stiles
= 1 Head


PART B
(Adjuster) = 2 Stiles
= 1 Head

PART C
(Architrave) = 4 Stiles
= 2 Heads

8 gauge counter sunk screws (20mm) = 9
8 gauge counter sunk screws (36mm) = 9
8 gauge pan head screws (25mm) = 8
Hinges = 3



HOW TO ORDER YOUR SUPREME (ADJUSTABLE) DOOR FRAME KITS



When ordering your door frames please give overall sizes as shown on diagram.

(Example: For an 2040 x 820 door)

Width	=	Arch	35mm
		Door	820
		Clearance	6
		Arch	35mm
		Total	896mm

Height	=	Arch	35
		Door	2040
		Clearance	15
		Total	2090

To establish opening in wall size:

For a Single Door Frame subtract 36mm from W shown (896) = 860mm

For a Double Door Frame subtract 36mm from W shown (1720) = 1684mm

For the Height subtract 15mm from H shown (2090) = 2075mm

BRIS ALUMINIUM
ACN 088 447 812 ABN 13 088 447 812

Southside **Ph: (07) 3299 5227** Fax: (07) 3299 5228
Northside **Ph: (07) 3260 6077** Fax: (07) 3260 6400



www.brisaluminium.com.au

Adjustable Partition Suite

70mm - 218mm Walls

Door Frame Kits

to suit 40mm Doors

Profile	Description	Sizes
	ADFK-76-95 Adjustable Door Frame Kit	2090 x 697 - 1027
	ADFK-76-95/27 Adjustable Door Frame Kit	2700 x 697 - 1027
	ADDFK-76-95 Adjustable Double Door Frame Kit	2090 x 1027 - 1919
	ADDFK-76-95/27 Adjustable Double Door Frame Kit	2700 x 1027 - 1919
	ADFK-96-115 Adjustable Door Frame Kit	2090 x 697 - 1027
	ADFK-96-115/27 Adjustable Door Frame Kit	2700 x 697 - 1027
	ADDFK-96-115 Adjustable Double Door Frame Kit	2090 x 1027 - 1919
	ADDFK-96-115/27 Adjustable Double Door Frame Kit	2700 x 1027 - 1919



Door Frame Kits come with Instructions, Hinges & Screws Included
Items available in Anodised Finish, Mill Finish or Powder Coated

Adjustable Partition Suite

70mm - 218mm Walls

Door Frame Kits

to suit 40mm Doors

Profile	Description	Sizes
	ADFK-116-136/40 Adjustable Door Frame Kit	2090 x 697 - 1027
	ADFK-116-136/40/27 Adjustable Door Frame Kit	2700 x 697 - 1027
	ADDFK-116-136/40 Adjustable Double Door Frame Kit	2090 x 1027 - 1919
	ADDFK-116-136/40/27 Adjustable Double Door Frame Kit	2700 x 1027 - 1919
	ADFK-156-176 Adjustable Door Frame Kit	2090 x 697 - 1027
	ADFK-156-176/27 Adjustable Door Frame Kit	2700 x 697 - 1027
	ADDFK-156-176 Adjustable Double Door Frame Kit	2090 x 1027 - 1919
	ADDFK-156-176/27 Adjustable Double Door Frame Kit	2700 x 1027 - 1919


Door Frame Kits come with Instructions, Hinges & Screws Included
Items available in Anodised Finish, Mill Finish or Powder Coated

Adjustable Partition Suite

70mm - 218mm Walls


Door Frame Kits

to suit 40mm Doors

Profile	Description	Sizes
		
	ADFK-204-224/40 Adjustable Door Frame Kit	2090 x 697 - 1027
	ADFK-204-224/40/27 Adjustable Door Frame Kit	2700 x 697 - 1027
	ADDFK-204-224/40 Adjustable Double Door Frame Kit	2090 x 1027 - 1919
	ADDFK-204-224/40/27 Adjustable Double Door Frame Kit	2700 x 1027 - 1919

Door Frame Kits come with Instructions, Hinges & Screws Included
Items available in Anodised Finish, Mill Finish or Powder Coated

“SUPREME” Adjustable Door Frame Kits



35 mm & 40 mm Doors only

ASSEMBLY INSTRUCTIONS

1. Screw (Part A) sections together with 8 gauge x 25mm Pan Head screws supplied.
2. Screw (Part B) sections together with 8 gauge x 25mm Pan Head Screws supplied.
3. For Wall Opening Size refer formula below.
4. Position (Part A & Part B) into the opening and squeeze together.
5. Square and plumb frame in place, then screw-fix it.
6. Take (Part C) and snap-fix vertical architraves first and then snap-fix horizontal pieces.
7. 2100 Door Frame is 2 hinges, 2700 is 3 hinges.

N.B. In all cases the hinges must be fixed 100mm max from top and 200mm max from bottom of door.


CONTENTS

PART A
(Main Frame) = 2 Stiles
= 1 Head


PART B
(Adjuster) = 2 Stiles
= 1 Head

PART C
(Architrave) = 4 Stiles
= 2 Heads

8 gauge counter sunk screws (20mm) = 9
8 gauge counter sunk screws (36mm) = 9
8 gauge pan head screws (25mm) = 8
Hinges = 3



HOW TO ORDER YOUR SUPREME (ADJUSTABLE) DOOR FRAME KITS



When ordering your door frames please give overall sizes as shown on diagram.

(Example: For an 2040 x 820 door)

Width	=	Arch	35mm
		Door	820
		Clearance	6
		Arch	35mm
		Total	896mm

Height	=	Arch	35
		Door	2040
		Clearance	15
		Total	2090

To establish opening in wall size:

For a Single Door Frame subtract 36mm from W shown (896) = 860mm

For a Double Door Frame subtract 36mm from W shown (1720) = 1684mm

For the Height subtract 15mm from H shown (2090) = 2075mm

BRIS ALUMINIUM
ACN 088 447 812 ABN 13 088 447 812

Southside **Ph: (07) 3299 5227** Fax: (07) 3299 5228
Northside **Ph: (07) 3260 6077** Fax: (07) 3260 6400


www.brisaluminium.com.au

Adjustable Partition Suite

70mm - 218mm Walls

Glazing Frame Kits

70mm - 89mm

Profile	Heights	Widths
	900 x	900
		1200
		1800
		2700
		3600
	1200 x	900
		1200
		1800
		2700
		3600
Adjustable Glazing Frame Kits	1800 x	900
		1200
		1800
		2700
		3600
	2150 x	900
		1200
		1800
		2700
		3600
	2750 x	900
		1200
		1800
		2700
		3600
	3600 x	900
		1200
		1800
		2700
		3600


Glazing Frame Kits come with Instructions & Screws Included
Items available in Anodised Finish, Mill Finish or Powder Coated

Adjustable Partition Suite

70mm - 218mm Walls

Glazing Frame Kits

90mm - 109mm

Profile	Heights	Widths
 Adjustable Glazing Frame Kits & Mating Stile Side-Lights	900 x	900
		1200
		1800
		2700
		3600
	1200 x	900
		1200
		1800
		2700
		3600
	1800 x	900
		1200
		1800
		2700
		3600
	2150 x	900
		1200
		1800
		2700
		3600
	2750 x	900
		1200
		1800
		2700
		3600
	3600 x	900
		1200
		1800
		2700
		3600


Glazing Frame Kits come with Instructions & Screws Included
Items available in Anodised Finish, Mill Finish or Powder Coated

Adjustable Partition Suite


70mm - 218mm Walls

Glazing Frame Kits

110mm - 130mm



Adjustable Glazing Frame Kits

Profile	Heights	Widths
	900 x	900
		1200
		1800
		2700
		3600
	1200 x	900
		1200
		1800
		2700
		3600
	1800 x	900
		1200
		1800
		2700
		3600
	2150 x	900
		1200
		1800
		2700
		3600
	2750 x	900
		1200
		1800
		2700
		3600
	3600 x	900
		1200
		1800
		2700
		3600


Glazing Frame Kits come with Instructions & Screws Included
Items available in Anodised Finish, Mill Finish or Powder Coated

Adjustable Partition Suite

70mm - 218mm Walls

Glazing Frame Kits

150mm - 170mm

Profile	Heights	Widths
	900 x	900
		1200
		1800
		2700
		3600
Adjustable Glazing Frame Kits	1200 x	900
		1200
		1800
		2700
		3600
	1800 x	900
		1200
		1800
		2700
		3600
	2150 x	900
		1200
		1800
		2700
		3600
	2750 x	900
		1200
		1800
		2700
		3600
	3600 x	900
		1200
		1800
		2700
		3600

Glazing Frame Kits come with Instructions & Screws Included


Items available in Anodised Finish, Mill Finish or Powder Coated

Adjustable Partition Suite

70mm - 218mm Walls


Glazing Frame Kits

198mm - 218mm

Profile	Heights	Widths
 Adjustable Glazing Frame Kits	900 x	900
		1200
		1800
		2700
		3600
	1200 x	900
		1200
		1800
		2700
		3600
	1800 x	900
		1200
		1800
		2700
		3600
	2150 x	900
		1200
		1800
		2700
		3600
	2750 x	900
		1200
		1800
		2700
		3600
	3600 x	900
		1200
		1800
		2700
		3600

Glazing Frame Kits come with Instructions & Screws Included
Items available in Anodised Finish, Mill Finish or Powder Coated

“SUPREME” Adjustable Glazing Frame Kits



CONTENTS

PART A (Main Frame)		= 4 pieces
PART B (Adjuster)		= 4 pieces
PART C (Architrave)		= 8 pieces
PART D (Glazing Adaptor)		= 4 pieces
PART E (Glazing Bead)		= 4 pieces


8 gauge pan head screws (25mm) = 16 screws

ASSEMBLY INSTRUCTIONS

(Please use screws as provided)

1. Screw (Part A) sections together with 8 gauge x 25mm Pan Head screws supplied.
2. Screw (Part B) sections together with 8 gauge x 25mm Pan Head Screws supplied.
3. For Wall Opening Size refer formula below.
4. Position (Part A & Part B) into the opening and squeeze together.
5. Square and plumb frame in place, then screw-fix it.
6. Take (Part C) and snap-fix vertical architraves first and then snap-fix horizontal pieces.
7. Take (Part D) and put it on the wide face of the mainframe (Part A) then screw fix on to mainframe.
8. Insert glass and glazing rubber on the right hand side of Part D as shown in the picture above.
9. Take (Part E) and clip it into the Part D to hold the glass and glazing rubber in place.

When ordering your glazing frames please give overall sizes as indicated on diagram
State sizes as 'H' Height x 'W' Width



To establish hole in wall sizes, simply subtract **36mm** from W shown
(1270) = 1234mm wall opening.

...and subtract **36mm** from H shown
(1270) = 1234mm wall opening.

N.B. No glass or glazing wedges supplied with kit. Enquire if a minimum finishing charge applies when ordering.

BRIS ALUMINIUM
ACN 088 447 812 ABN 13 088 447 812

Southside Ph: (07) 3299 5227 Fax: (07) 3299 5228
Northside Ph: (07) 3260 6077 Fax: (07) 3260 6400


www.brisaluminium.com.au

Adjustable Partition Suite

Formulas

70mm - 218mm Walls

Adjustable Door Frame Kits



eg. Door = 2040 x 920
Wall Opening = 2075 x 961

To establish the Overall Frame sizes:

Door Height + 50mm
or Wall Opening Height + 15mm

Single Door Leaf Width + 77mm
Double Door Combined Widths + 79mm
or Wall Opening Width + 36mm

To establish the Wall Opening sizes:

Door Height + 35mm
or Overall Frame Height - 15mm


Single Door Leaf Width + 41mm
Double Door Combined Widths + 43mm
or Overall Frame Width - 36mm

To establish the Door sizes:

Wall Opening Height - 35mm
or Overall Frame Height - 50mm

Wall Opening Width - 41mm
Double Door Combined Widths - 43mm
or Overall Frame Width - 77mm
Combined Double Door Widths - 79mm

Adjustable Glazing Frame Kits



eg. Glass = 1116 x 816
Wall Opening = 1164 x 864

To establish the Overall Frame sizes:

Opening in the Wall Height + 36mm
Opening in the Wall Width + 36mm

To establish the Opening in wall sizes:

Overall Frame Height - 36mm
Overall Frame Width - 36mm

To establish the Glass sizes:


Overall Frame Height - 84mm
Overall Frame Width - 84mm

TYPICAL TECHNICAL DRAWINGS

supreme adjustable suite , 70mm - 218mm walls

Supreme Adjustable Suite Technical Drawings


70mm - 218mm Walls



All drawings © Copyright Bris Aluminium Pty Ltd. All rights reserved

Supreme Adjustable Suite Technical Drawings

70mm - 218mm Walls




20.07.2008

SECTION 'B'
70-130MM SUPREME ADJUSTABLES

All drawings © Copyright Bris Aluminium Pty Ltd. All rights reserved


Supreme Adjustable Suite Technical Drawings

70mm - 218mm Walls



SECTION 'A'
70-130MM SUPREME ADJUSTABLES

SECTION 'E'
70-130MM SUPREME ADJUSTABLES
20-07-2008




SECTION 'E'
70-130MM SUPREME ADJUSTABLES
20-07-2008



All drawings © Copyright Bris Aluminium Pty Ltd. All rights reserved

Supreme Adjustable Suite Technical Drawings

70mm - 218mm Walls




SECTION 'C'
70-130MM SUPREME ADJUSTABLES

All drawings © Copyright Bris Aluminium Pty Ltd. All rights reserved

Supreme Adjustable Suite Technical Drawings

70mm - 218mm Walls



SECTION 'G'
70-130MM SUPREME ADJUSTABLES

08

BRIS ALUMINIUM
SUPREME PARTITION SYSTEMS

All drawings © Copyright Bris Aluminium Pty Ltd. All rights reserved









for 35mm, 40mm & 45mm doors

SLIMLINE SUITE

with setting track suite

Supreme Slimline & Setting Partition Suites







35mm, 40mm & 45mm Doors

Profile	Description	Lengths
	DJ-35 35mm Door Jamb PP: 101 AP: 208	2750 3750
	DJ-40 40mm Door Jamb PP: 101 AP: 228	2750 3750
	DJ-45 45mm Door Jamb PP: 101 AP: 248	2750 3750
	BA-1502 Door Frame Bracket	
	GS-500 45mm Glazing Suite PP: 101 AP: 238	2750 3750
	GS-501 45mm Glazing Bead PP: 101 AP: 125	2750 3750
	GS-502 Slimline Glazing End Cap PP: 101 AP: 140	3000

Items available in Anodised Finish or Powder Coated

Supreme Slimline & Setting Partition Suites

35mm, 40mm & 45mm Doors




Profile	Description	Lengths
	GS-504 45mm Slimline Post PP: 180 AP: 360	3250
	RST-64/13 Reveal Setting Track PP: 101 AP: 354	2750 3750
	SST-64/13 Shadowline Setting Track PP: 110 AP: 372	2750 3750
	RST-64/17 Set Cavity Slider Capping PP: 101 AP: 237	2150 2750
	RST-64/19 Set Cavity Receiver Track PP: 101 AP: 421	2150 2750
	RST-64/38 Set Cavity Slider Head PP: 101 AP: 597	3750

Items available in Anodised Finish, Mill Finish or Powder Coated

Supreme Slimline Partition Suite

Door Frame Kits

35mm, 40mm & 45mm Doors




Profile	Description	Sizes
	DFK-35 35mm Slimline Door Frame Kit	2750 x 627 - 1007
	DFK-40 40mm Slimline Door Frame Kit	2750 x 627 - 1007
	DFK-45 45mm Slimline Door Frame Kit	2750 x 627 - 1007
	DDFK-35 35mm Slimline Double Door Frame Kit	2750 x 1007 - 1849
	DDFK-40 40mm Slimline Double Door Frame Kit	2750 x 1007 - 1849
	DDFK-45 45mm Slimline Double Door Frame Kit	2750 x 1007 - 1849

Door Frame Kits come with Hinges & Screws Included
Items available in Anodised Finish, Mill Finish or Powder Coated

Supreme 64mm Setting Partition Suite **Cavity Sliding**

64mm Steel Stud with 13mm Plasterboard

Door Frame Kits

Profile	Description	Sizes
	SCSK-64/120 Supreme Set Cavity Sliding Door Frame Kit	2150 x 620 - 1000
	SCSK-64/125 Supreme Set Cavity Sliding Door Frame Kit	2750 x 620 - 1000
	SCSK-64/220 Supreme Set Cavity Sliding Oversized Door Frame Kit	2150 x 1000 - 1200
	SCSK-64/225 Supreme Set Cavity Sliding Oversized Door Frame Kit	2750 x 1000 - 1200
	SCSK-64/320 Frameless Glass Set Cavity Sliding Door Frame Kit	2150 x 620 - 1000
	SCSK-64/325 Frameless Glass Set Cavity Sliding Door Frame Kit	2750 x 620 - 1000
	SCSDK-64/130 Supreme Set Cavity Sliding Double Door Frame Kit	2150 x 1000 - 1800
	SCSDK-64/135 Supreme Set Cavity Sliding Double Door Frame Kit	2750 x 1000 - 1800

Scan the QR Code to
View the Assembly
Video Online

or at www.brisaluminium.com/cavity-door-slider/


Cavity Sliding Door Frame Kits come with all Components Included
Items available in Anodised Finish or Powder Coated

Supreme 64mm Setting Partition Suite


64mm Steel Stud with 13mm Plasterboard

Screw and Stud Adhesive
fixed 13mm Plaster

Flush



Shadowline Setting



Screw and Stud Adhesive
fixed 13mm Plaster

Flush

Reveal Setting


Items available in Mill Finish or Powder Coated

TYPICAL TECHNICAL DRAWINGS

slimline & 64mm supreme setting suite, for 35mm, 40mm & 45mm doors

Supreme Slimline & Setting Partition Suites

35mm, 40mm & 45mm Doors




All drawings © Copyright Bris Aluminium Pty Ltd. All rights reserved

Supreme Slimline & Setting Partition Suites


35mm, 40mm & 45mm Doors



All drawings © Copyright Bris Aluminium Pty Ltd. All rights reserved




05 SECTION 'D'
SUPREME SETTING SYSTEM 64MM
14-04-2008



02 SECTION 'A'
SUPREME SETTING SYSTEM 64MM
14-04-2008

Supreme Slimline & Setting Partition Suites

35mm, 40mm & 45mm Doors




04 SECTION 'C'
SUPREME SETTING SYSTEM 64MM
14:04:2008

All drawings © Copyright Bris Aluminium Pty Ltd. All rights reserved


Supreme Slimline & Setting Partition Suites

35mm, 40mm & 45mm Doors



SECTION 'E'
SUPREME SETTING SYSTEM 64MM
14-04-2008

35mm, 40mm & 45mm Doors



Bris Aluminium Catalogue







for 45mm doors

SLIDING DOOR SYSTEM

top hung track, pelmet, receiver & components

Top Hung Sliding Door System


For 45mm Sliding Doors

Profile	Description	Lengths
	BA3225 45mm Top Hung Sliding Track PP: 160 AP: 445	3250 5000
	BA3226 45mm Top Hung Sliding Track Pelmet PP: 101 AP: 243	3250 5000
	BA3230 45mm Sliding Door Receiver 'H' Track PP: 101 AP: 337	3250 6500
	BA3231 45mm Sliding Door Receiver 'H' Track Infill PP: 101 AP: 168	3250 6500

Items available in Anodised Finish, Mill Finish or Powder Coated

Top Hung Sliding Door System


For 45mm Sliding Doors

Profile	Description	Unit
	BA3226C Sliding Track Pelmet Clip	Each
	BA3226DS Sliding Track Door Stop	Each
	BA3226EC Sliding Track End Cap	Each
	BA3226FG Aluminium Door Floor Guide	Each
	BA3226R Top Hung Rollers	Each
	BA3226TG Timber Door Floor Guide	Each

Top Hung Sliding Door System

Door Frame Kits

For 45mm Sliding Doors

Profile	Description	Sizes
	XTK-45/3250 Top Hung Sliding Track Kit for 45mm Aluminium Doors	3200 x 3200
	XTK-45T/3250 Top Hung Sliding Track Kit for 45mm Timber Doors	3200 x 3200
	XTDK-45/3250 Top Hung Sliding Track Kit for Bi-Parting 45mm Aluminium Doors	3200 x 5000
	XTDK-45T/3250 Top Hung Sliding Track Kit for Bi-Parting 45mm Timber Doors	3200 x 5000



Sliding Door Frame Kits come with all Components Included
Items available in Anodised Finish, Mill Finish or Powder Coated

Top Hung Sliding Door System


For 45mm Sliding Doors

Ceiling Fixed

**** First ensure the ceiling can hold the weight of the door ****

Full Height Glazing Frame

Full Height Door Frame




Door Frame Kits come with all Components Included

Top Hung Sliding Door System

For 45mm Sliding Doors

Wall Fixed

**** Ensure to fix the track to the studs to hold the weight of the door ****



Door Frame Kits come with all Components Included








100mm x 44mm

SHOPFRONT SUITE

light duty door frames & glazing frames

Light Duty Shopfront Suite







100mm x 44mm

Profile	Description	Lengths
	BA18935 Shopfront Main Frame PP: 196 AP: 586	2150 3250 6500
	BA18936 Shopfront Sill PP: 130 AP: 480	3250 6500
	BA18938 Shopfront Bead PP: 101 AP: 206	3250 6500
	BA18937 Shopfront Glazing Adaptor PP: 101 AP: 307	2150 3250 6500
	BA14695 Flat Filler PP: 101 AP: 223	2150 3250 6500
	BA10330 35mm Doorstop PP: 101 AP: 153	2150 3250 6500
	BA10331 40mm Doorstop PP: 101 AP: 153	2150 3250 6500

Items available in Anodised Finish, Mill Finish or Powder Coated

Light Duty Shopfront Suite




100mm x 44mm

Profile	Description	Lengths
	BA10329 45mm Shopfront Doorstop PP: 101 AP: 150	2150 3250 6500
	BA10328 Shopfront Flush Filler PP: 101 AP: 101	2150 3250 6500
	BA3223 Shopfront 3 Way Post PP: 238 AP: 714	3250 6500
	BA3376 Sub Head PP: 101 AP: 405	3250 6500
	BA2425 COC Pivot Head Frame PP: 150 AP: 482	3250 6500
	BA14422 COC FILLER PLATE PP: 101 AP: 221	3250 6500

Items available in Anodised Finish, Mill Finish or Powder Coated

Light Duty Shopfront Suite

100mm x 44mm




Profile	Description	Lengths
	BA14690 Shopfront Plain Frame PP: 212 AP: 466	3250 6500
	BA3224 Sliding Bottom Guide PP: 120 AP: 440	3250 6500
	BA3227 Sliding Receiver Channel PP: 245 AP: 460	3250 6500
	BA3229 Bottom Sliding Track PP: 101 AP: 140	3250 6500

Items available in Anodised Finish, Mill Finish or Powder Coated

Light Duty Shopfront Suite

100mm x 44mm

Door Frame Kits

Profile	Description	Sizes
	SDK-21 Shopfront Door Frame Kit	2150 X 627 - 1007
	SDK-27 Shopfront Door Frame Kit	2750 X 627 - 1007
	SDDK-21 Shopfront Double Door Frame Kit	2150 X 1007 - 1849
	SDDK-27 Shopfront Double Door Frame Kit	2750 x 1007 - 1849
	SFDK-27 Shopfront Fanlight Door Frame Kit	2750 x 627 - 1007
	SFDDK-27 Shopfront Double Fanlight Door Frame Kit	2750 x 1007 - 1849


Door Frame Kits come with Instructions, Hinges & Screws Included

Items available in Anodised Finish, Mill Finish or Powder Coated

Light Duty Shopfront Suite

100mm x 44mm

Glazing Frame Kits

Profile	Heights	Widths
 Shopfront Glazing Frame Kits & Side-Lights	900 x	900
		1200
		1800
		2700
		3600
	1200 x	900
		1200
		1800
		2700
		3600
	1800 x	900
		1200
		1800
		2700
		3600
	2150 x	900
		1200
		1800
		2700
		3600
	2750 x	900
		1200
		1800
		2700
		3600
	3600 x	900
		1200
		1800
		2700
		3600

Glazing Frame Kits come with Screws Included


Items available in Anodised Finish, Mill Finish or Powder Coated

TYPICAL TECHNICAL DRAWINGS

100mm x 44mm shopfront suite

Light Duty Shopfront Suite

100mm x 44mm




04 SECTION 'C'
LIGHT DUTY SHOPFRONT & SUPREME 64 SETTING
13/07/2008


All drawings © Copyright Bris Aluminium Pty Ltd. All rights reserved

Light Duty Shopfront Suite

100mm x 44mm



07 SECTION 'F'
LIGHT DUTY SHOPFRONT & SUPREME 64 SETTING
13/07/2008




05 SECTION 'D'
LIGHT DUTY SHOPFRONT & SUPREME 64 SETTING
13/07/2008

All drawings © Copyright Bris Aluminium Pty Ltd. All rights reserved

Light Duty Shopfront Suite

100mm x 44mm



SECTION 'H'

09

LIGHT DUTY SHOPFRONT & SUPREME 64 SETTING







24.10.2018



35mm & 45mm
ALUMINIUM DOORS
swinging & sliding

Supreme Aluminium Doors







Swinging & Sliding

Profile	Description	Lengths
	SDHW-35 35mm Hinge Stile PP: 236 AP: 392	2150 3250 6500
	SDLW-35 35mm Lock Stile PP: 249 AP: 405	2150 3250 6500
	SDR-35 35mm Top & Bottom Rail PP: 200 AP: 434	3250 6500
	SDMR-35 35mm Door Midrail PP: 180 AP: 433	3250 6500
	SDB-35 35mm Door Bead PP: 101 AP: 101	3250 6500
	SDB-45 45mm Door Bead PP: 101 AP: 101	3250 6500

*Items available in Anodised Finish, Mill Finish or Powder Coated
Also now stocked in Black Powder Coat*

Supreme Aluminium Doors






Swinging & Sliding

Profile	Description	Lengths
	SDHW-45 45mm Wide Hinge Stile PP: 354 AP: 511	2150 3250 6500
	SDLW-45 45mm Wide Lock Stile PP: 313 AP: 489	2150 3250 6500
	SDWW-45 45mm Wide Wiper Stile PP: 328 AP: 492	2150 3250 6500
	SDPW-45 45mm Wide Pivot Stile PP: 349 AP: 523	2150 3250 6500
	SDR-45 45mm Top & Bottom Rail PP: 186 AP: 451	3250 6500
	SDMR-45 45mm Door Midrail PP: 180 AP: 447	3250 6500

Items available in Anodised Finish, Mill Finish or Powder Coated

Supreme Aluminium Doors

Swinging & Sliding

Profile	Description	Lengths
	SDHN-45 45mm Narrow Hinge Stile PP: 256 AP: 415	2150 3250 6500
	SDLN-45 45mm Narrow Lock Stile PP: 242 AP: 418	2150 3250 6500
	SDWN-45 45mm Narrow Wiper Stile PP: 285 AP: 428	2150 3250 6500
	SDPN-45 45mm Narrow Pivot Stile PP: 242 AP: 418	2150 3250 6500
	SDSR-45 45mm Shallow Top Rail PP: 274 AP: 410	3250 6500



Items available in Anodised Finish, Mill Finish or Powder Coated

Supreme Aluminium Doors

35mm Doors

Swinging & Sliding

Wide Stile 90mm

Profile	Description	Sizes
  Available Assembled or Flat Packed	SAD-35W/21 35x90mm Aluminium Door	< 2100 x 620 - 1000
	SAD-35W/21(MR) 35x90mm Aluminium Door With 96mm Midrail	< 2100 x 620 x 1000
	SAD-35W/27 35x90mm Aluminium Door	< 2700 x 620 - 1000
	SAD-35W/27(MR) 35x90mm Aluminium Door With 96mm Midrail	< 2700 x 620 - 1000
  Available Assembled or Flat Packed	SSAD-35W/21 35x90mm Aluminium Door Sliding Door	< 2100 x 620 - 1000
	SSAD-35W/21(MR) 35x90mm Aluminium Sliding Door with 96mm Midrail	< 2100 x 620 x 1000
	SSAD-35W/27 35x90mm Aluminium Sliding Door	< 2700 x 620 - 1000
	SSAD-35W/27(MR) 35x90mm Aluminium Sliding Door with 96mm Midrail	< 2700 x 620 - 1000

Items available in Anodised Finish, Mill Finish or Powder Coated





Materials now stocked in Black Powder Coat

Supreme Aluminium Doors

45mm Doors

Swinging & Sliding

Narrow Stile 83mm

Profile	Description	Sizes
	SAD-45N/21 45x83mm Aluminium Door	< 2100 x 620 - 1000
	SAD-45N/21(MR) 45x83mm Aluminium Door With 110mm Midrail	< 2100 x 620 x 1000
	SAD-45N/27 45x83mm Aluminium Door	< 2700 x 620 - 1000
	SAD-45N/27(MR) 45x83mm Aluminium Door With 110mm Midrail	< 2700 x 620 - 1000
Available Assembled or Flat Packed		
	SSAD-45N/21 45x83mm Aluminium Door Sliding Door	< 2100 x 620 - 1000
	SSAD-45N/21(MR) 45x83mm Aluminium Sliding Door with 110mm Midrail	< 2100 x 620 x 1000
	SSAD-45N/27 45x83mm Aluminium Sliding Door	< 2700 x 620 - 1000
	SSAD-45N/27(MR) 45x83mm Aluminium Sliding Door with 110mm Midrail	< 2700 x 620 - 1000
Available Assembled or Flat Packed		

Items available in Anodised Finish, Mill Finish or Powder Coated

Supreme Aluminium Doors

45mm Doors
Swinging & Sliding
Wide Stile 131mm

Profile	Description	Sizes
	SAD-45W/21 45x131mm Aluminium Door	< 2100 x 620 - 1000
	SAD-45W/21(MR) 45x131mm Aluminium Door With 110mm Midrail	< 2100 x 620 x 1000
Available Assembled or Flat Packed	SAD-45W/27 45x131mm Aluminium Door	< 2700 x 620 - 1000
	SAD-45W/27(MR) 45x131mm Aluminium Door With 110mm Midrail	< 2700 x 620 - 1000
	SSAD-45W/21 45x131mm Aluminium Door Sliding Door	< 2100 x 620 - 1000
	SSAD-45W/21(MR) 45x131mm Aluminium Sliding Door with 110mm Midrail	< 2100 x 620 x 1000
Available Assembled or Flat Packed	SSAD-45W/27 45x131mm Aluminium Sliding Door	< 2700 x 620 - 1000
	SSAD-45W/27(MR) 45x131mm Aluminium Sliding Door with 110mm Midrail	< 2700 x 620 - 1000

Items available in Anodised Finish, Mill Finish or Powder Coated


SUPREME ALUMINIUM DOOR KITS

ASSEMBLY INSTRUCTIONS: *(please ensure your swing & handing is correct before assembly)*

1. Cut Hinge Stile and Lock Stile to height. Rails & Beads will be cut to size, do not cut.
2. Insert Door Seal Fur into the Lock Stile. Seal at both ends with rivets.
3. Insert black spigot spacer into metal spigot & loosely fit fixing plate with Allen Key bolts.
4. Screw fix Spigots to ends of the Top/Bottom Rails.
5. Slide Top/Bottom Rails into position in Stiles and tighten Allen Key bolts.
6. Cut Cover Strip to size & insert into Top/Bottom Rails.
7. Attach Rail Beads.

N.B Doors are rated to 55kg loading, up to 2700 = 3 hinges, above 2700 = 4 hinges.

In all cases, hinges must be fixed 100mm max. from top and 200mm max. from bottom of door.



CONTENTS :

Hinge Stile	(long)	x 1
Lock Stile	(long)	x 1
Top/Bottom Rail	(short)	x 2
Rail Bead	(short)	x 2
Rail Cover Strip	(short)	x 2
Spigot Set		x 1
Rivet		x 2
Allen Key – 5mm		x 1
Door Seal Fur		

NORTHSIDE:

12 Saltash St, Virginia
PH: (07) 3260 6077 Fax: (07) 3260 6400


SOUTHSIDE:

4 Judds Crt, Slacks Creek
Ph: (07) 3299 5227 Fax: (07) 3299 5228

Supreme Aluminium Doors

Door Assembly

Swinging & Sliding




Supreme Aluminium Doors

Formulas

Swinging & Sliding

Glazing Formulas



eg. 35x90mm Height = 1862
35x90mm Width = 755


To establish the Glass size:

35x90mm: 35mm Door
Door Height - 178mm
Door Width - 165mm

45x83mm: 45mm Narrow Stile Door
Door Height - 196mm
Door Width - 142mm
Sliding Door Height - 173mm

45x131mm: 45mm Wide Stile Door
Door Height - 196mm
Door Width - 238mm
Sliding Door Height - 173mm

Cutting Formulas



eg. 35x90mm Stiles = 2040
35x90mm Rails = 740

To establish the Cutting sizes:

35x90mm: 35mm Door
Door Stiles = Door Height
Door Rails = Door Width - 180mm

45x83mm: 45mm Narrow Stile Door
Door Stiles = Door Height
Door Rails = Door Width - 164mm

45x131mm: 45mm Wide Stile Door
Door Stiles = Door Height
Door Rails = Door Width - 260mm

DOOR ORDER FORM

PLEASE NOTE: This form MUST be completed before fabrication of your doors can commence.

CUSTOMER TO COMPLETE:

COMPANY NAME:

ORDER NUMBER:

ORDERED BY:

PHONE NUMBER:

FINISH:

BRIS ALUMINIUM DETAILS:

DATE:

SALES ORDER:

[illegible]

OTHER NOTES:

1



OUTSIDE
HINGE LEFT / SWING IN

2



OUTSIDE
HINGE RIGHT / SWING IN

3




OUTSIDE
HINGE LEFT / SWING OUT

4




OUTSIDE
HINGE RIGHT / SWING OUT

5




OUTSIDE
LEFT HAND ACTIVE / SWING IN

6




OUTSIDE
RIGHT HAND ACTIVE / SWING IN

7



OUTSIDE
LEFT HAND ACTIVE / SWING OUT

8




OUTSIDE
RIGHT HAND ACTIVE / SWING OUT

S-1



HUNG INSIDE
CLOSING RIGHT / FUR OUT

S-2



HUNG INSIDE
CLOSING LEFT / FUR OUT

S-3



HUNG OUTSIDE
CLOSING RIGHT / FUR IN

S-4



HUNG OUTSIDE
CLOSING LEFT / FUR IN

S-5



HUNG INSIDE
LEFT HAND ACTIVE / FUR OUT

S-6



HUNG INSIDE
RIGHT HAND ACTIVE / FUR OUT

S-7




HUNG OUTSIDE
LEFT HAND ACTIVE / FUR IN

S-8



HUNG OUTSIDE
RIGHT HAND ACTIVE / FUR IN

1X



Storeroom / Entry Door Lock Set

Ext. Cylinder & Lever / Int. Lever Only

External lever is ALWAYS FIXED horizontal. Entry is by key only.
Internal operation is always by lever handle.

1Z



Office Door / Classroom Lock Set

Ext. Cylinder & Lever / Int. Lever Only

External lever is locked or unlocked via the lock cylinder only.
Internal operation is always by lever handle.

2



Glass Door Lock Set

Ext. Cylinder & Lever / Int. Cylinder & Lever

External lever and Internal lever are controlled together by
either lock cylinder, which will lock or unlock both handles.

3



Vestibule Door Lock Set

Ext. Cylinder & Lever / Int. Turn Snib & Lever

External lever controlled by either external lock cylinder or
internal turn snib, which lock or unlock external handle only.
Internal operation is always by lever handle.

4



Passage Door Set

Ext. Lever Only / Int. Lever Only (No Locking)

External lever handle on blank plate retracts latch.
Internal lever handle on blank plate retracts latch.

OPT2



Lockwood Optimum Sliding Door Dbl Keyed Lock Set

Ext. Cylinder / Int. Cylinder

Latching is controlled by both external and internal
lock cylinders.

OPT3



Lockwood Optimum Sliding Door Key / Snib Lock Set

Ext. Cylinder / Int. Turn Snib

Latching is controlled by external lock cylinder
and internal turn snib.

FB



250mm FLUSH BOLT

600mm FLUSH BOLT



hardware

LOCKS & HANDLES

latches, handles & accessories

Locks, Handles & Accessories

Profile	Description	Unit
	Mortice Lock Sets 23mm, 30mm & 60mm Backset Locks Satin Chrome, Black	Set
	Lockwood Optimum Sliding Door Locksets 30mm Backset	Set
	Flush Bolts 250mm & 600mm	Each
	Door Closers DCL100.2-5 Satin Chrome, Black	Each
	DCLS80.2-4 Slide Arm Closer Satin Chrome, Black	Each


Locks, Handles & Accessories

Profile	Description	Unit
	Pull Handles Variety of styles & sizes.	
	Straight Round	Pair
	Offset Round	Pair
	Satin Chrome	
	Straight Square	Pair
	Offset Square	Pair
	Satin Chrome, Black	
	Door Stops DS2290 Floor Mounted Half Dome Satin Chrome, Satin Black	Each
	DS2350 Wall Mounted Door Stop Satin Chrome, Black	Each
	DS2250 Heavy Duty Door Stop Satin Chrome, Black	Each

Return Air Door Grilles

fit to 30 - 45mm Doors

Profile	Description	Sizes
	RAG150A	150 x 600
	RAG200A	200 x 600
	RAG300A	300 x 600
	RAG450A	450 x 600
	RAG600A	600 x 600




Locking spring clip



Installation Instructions:

Utilising the inbuilt locking clips, the 2 parts are carefully push together, sandwiching the door panel and locking into place.





32mm to 47mm

VISION PANELS

glazed, venetian, block-out, fire-rated

Vision Panels

Single Glazed & Double Glazed



Single 6.38mm Glazed Vision Panels

Sizes



VP3020638	300 x 200
VP3030638	300 x 300
VP4040638	400 x 400
VP6020638	600 x 200
VP6030638	600 x 300
VP6060638	600 x 600
VP9020638	900 x 200
VP9060638	900 x 600
VP17020638	1700 x 200

Items available in Anodised Finish or Black

Double Glazed Vision Panels with Venetian Blinds

Sizes



VPVS4040CA	400 x 400
VPVS6030CA	600 x 300
VPVS6060CA	600 x 600
VPVS9060CA	900 x 600

Items available in Anodised Finish


Please call to enquire about Fire-Rated Vision Panels

2000

GEOMETRICS

angles, flat bars, channels, hollows

Aluminium Angles




A	B	T
12	12	1.6mm
16	16	1.6mm
20	12	1.6mm
20	20	1.6mm
20	20	3.0mm
25	12	1.6mm
25	20	1.6mm
25	25	1.6mm
25	25	3.0mm
32	20	1.6mm
32	32	1.6mm
32	32	3.0mm
40	12	1.6mm
40	20	1.6mm
40	20	3.0mm
40	25	1.6mm
40	25	3.0mm
40	40	1.6mm
40	40	3.0mm
50	25	1.6mm
50	25	3.0mm
50	50	1.6mm
50	50	3.0mm
70	25	1.6mm
70	40	1.6mm

More Sizes Available Upon Request


Items available in Anodised Finish, Mill Finish or Powder Coated

Aluminium Flat Bars, Channels & Hollows

Profile	A	B	T	Lengths
	20	1.6mm		4000
	20	3.0mm		4000
	25	1.6mm		4000
	25	3.0mm		4000
	32	3.0mm		4000
	40	3.0mm		4000
	50	3.0mm		4000
	100	1.6mm		3600
	100	3.0mm		4000
	150	1.6mm		3600



10	10	1.6mm	6500
12	12	1.6mm	6500
16	16	1.6mm	6500
20	20	1.6mm	6500
25	25	1.6mm	6500
25	20	1.6mm	6500
25	25	3.0mm	6500
25	40	3.0mm	6500
40	25	3.0mm	6500







Wide Range Of Hollow Sizes Available
Upon Request

More Sizes Available Upon Request

Items available in Anodised Finish, Mill Finish or Powder Coated

Partitions Glazing Wedge Guide

Profile	Glass	Glazing Wedges
	Supreme / Econo Suites	
	6mm	P40 Wedge Both Sides
	8mm	P113 Wedge Both Sides
	10mm	P41 Wedge Both Sides
	12mm	P43/1 One Side with P31/29 or Wet
	Supreme Adjustable Suites	
	6mm	P115 Wedge Both Sides
	8mm	P36/4 Wedge Both Sides
	10mm	P40/45 Wedge Both Sides
	45mm Slimline Glazing Suite	
	6mm	P117/75 Wedge Both Sides
	8mm	P115 Wedge Both Sides
	10mm	P40 Wedge Both Sides
	12mm	P40/45 Wedge Both Sides
	25mm Double Glazing Channels	
	6mm	SC1 Captive with P492
	8mm	SC1 Captive with P40
	10mm	SC2 Captive with P40/45
	12mm	SC2 Captive with P41
	Supreme Aluminium Doors	
	6mm	SDW-5 Wedge Both Sides
	8mm	SDW-5 One Side with SDW-3
	10mm	SDW-3 Wedge Both Sides
	100 x 44mm Shopfront Suite	
	6mm	SDW-5 Wedge Both Sides
	8mm	SDW-5 One Side with SDW-3
	10mm	SDW-3 Wedge Both Sides

Order Form

Company:	Job #:
Address/Collect:	
Site Contact:	Phone:
Date Required:	Finish:

[illegible]



Northside:

12 Saltash St
Virginia Qld 4014
Ph: (07) 3260 6077
Fax: (07) 3260 6400
Email: salesnorth@brisaluminium.com



Southside:

4 Judds Crt
Slacks Creek Qld 4127
Ph: (07) 3299 5227
Fax: (07) 3299 5228
Email: sales@brisaluminium.com



LOCATIONS



www.brisaluminium.com.au

